



Report #:

COA261280-004

Page 1 of 2

Title:

Certificate of Analysis (CoA)



Date: 9/9/2026
Date Tested: 9/6/2026
Customer: Summit Pep Labs LLC
Testing material: CJC-1295 Ipamorelin
Lot Number: SUM-CP10-001
Sample ID: BTL260820-004-004
Content/Potency: 10 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, dark blue label, silver crimp, blue plastic cap.
Labeled as: CJC-1295 Ipamorelin
Manufacturer: N/A
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	96.7 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of CJC-1295 Ipamorelin with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	CJC-1295 6.5 mg (65.4 %) Ipamorelin 6.1 mg (61.5 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:0) to (1:10) for (peptide: excipients)	12.7 : 84 mg (1:6.6)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs

Escarlet Cabrieles, BS
Scientist-II
BTLabs

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF-824-QSA-TR006

Rev 1.1 August 2026



Report #:

COA261280-004


Page 2 of 2

Title:


Certificate of Analysis (CoA)



FTIR ID and Composition Analysis: CJC-1295 Ipamorelin Lot SUM-CP10-001



HPLC Purity and Potency Assay @ 280 nm: CJC-1295 Ipamorelin Lot SUM-CP10-001



CJC-1295 Ipamorelin Lot SUM-CP10-001 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	4.864	1797.1
2	7.078	261.9

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF-824-QSA-TR006

Rev 1.1 August 2026